

XX

STANDINGXXXXXXXXXX

XXX	XX
XX Voltage	XX 90 - 240VXXXXXXXXXXXXXXXXXXXX
XX Voltage	DC 24V
XXXXXXXXKG	120
XXXXXXXXKG	140
XXXXXXXXmm / s	30
XXXXXXXXXXXX	10XXXX2XXXXXXXXXXXX
XXXXXX	620 - 1270XX
XXXXXX	1100X1600XXXXXXXXXX
X	XXXXXXXXXXXXXXXXGrAYXXXXXXXXXXXX
XXX	XXXQ235XXXXXXXXXXXX XXXXXXXXXXXXXXX
XXX	CEULEx0 ROHS
XXXXXXXX SxZXX XXX XXX	1080 * 270 * 325XXXXXXXXXX
XXXX XX XXX XXX	41KG
XXXX XXX XXX	45XX
XXXXXXXXXX	X
XXXX	XX XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXX

X
 X
 X X X X X X X



A6 series

The appearance of the more beautiful
 2 legs / 2 motors
 Electric adjustable
 Super mute motor synchronization control system
 Colours can choose Frosted Black or Frosted White
 Overload and overheat protection
 The switch can press point move and press always move

High quality cold-rolled steel plate, the structure is strong
 A number of patented technology

Voltage: 110 VAC /220 VAC
 Gross weight: 38KG

Lifting range from 580mm-1240mm
 Can use desktop from 1100mm-1600mm
 Load capacity: 100kg / 225lbs
 Load Speed: 30mm/s


5 Advantage



Out Tube size can be 90mmX60mm



Control box installation: Plug type
 Patent design,It is more convenient



Foot to strengthen



Motor metal case Ultra-thin design



Control box patent design, Ultra-thin,small
 Switching power supply
 Metal case,have qualitative feeling

Application

