

## Descrição do produto



### Especificação:

Comprimento do curso 650mm

Posição mais baixa 610mm

Posição mais alta 1260mm

Capacidade de carga 1000N

Velocidade 35mm/s

Dimensão da perna 80 \* 50mm

Anti-colisão Stop Sim

Ruído < 50dB

Baixo consumo Sim

Revestimento do pó do tratamento de superfície

### Aplicativos

## Green Life, New Health

With developing society pressure more, office worker working for long time, flight for family, personl goal and so on. Sitting more time, had to be office worker's theme. But, as we know, sitting longer, easy increase disease risk. How to prevent it? Height Adjustable Desk, popular show people's view. Make office worker more safe and more comfortable when working. It's focus on ergonomics, good for office worker's physical and psychological health.




## Informações da empresa



**HOUDRY** specialized in electric height adjustable desk for 4 years. Passed CE, SAA, ROHS, UL certificates.

With the height adjustable design moves quietly and smoothly. More choices, best prices, work smart.



## Certificações

<h1>TEST REPORT</h1>	
<b>Reference No.</b>	WSTH19F0322645AC
<b>Applicant</b>	Wahth Water Intelligent Technology Co., Ltd
<b>Address</b>	3rd Floor, Building No.3, No.61 Briny Road, Xixun Town, Wuzhong District of Suzhou
<b>Manufacturer</b>	Wuzhong Water Intelligent Technology Co., Ltd.
<b>Address</b>	3rd Floor, Building No.3, No.61 Briny Road, Xixun Town, Wuzhong District of Suzhou
<b>Sample Description</b>	Electric night adjustable desk lamp
<b>Model No.</b>	A6
<b>Test Required</b>	In accordance with the RoHS Directive 2011/65/EU
<b>Test Method</b>	<p>Option Reference is EN 61226:2007 (Protocol for the Determination of level of the Regulated Substance in Electrical Products)</p> <p>1. Screening by XRF Spectroscopy</p> <p>2. Wet Chemical Test Method</p> <ul style="list-style-type: none"> <li>Determination of Lead, Mercury and Cadmium by ICP-OES</li> <li>Determination of Hexavalent Chromium by Colorimetric Method</li> <li>Determination of Phthalate and PBDEs by GC-MS</li> </ul>
<b>Test Conclusion</b>	Based on the performed tests on the submitted samples, the results comply with the RoHS Directive 2011/65/EU
<b>Date of Report sample</b>	2018-05-18 & 2019-04-21
<b>Date of Test</b>	2018-05-18 & 2019-04-24
<b>Date of Issue</b>	2018-04-28
<b>Test Result</b>	Please refer to next page (s)
<b>Remarks</b>	<p>The results shown in this test report refer only to the sample(s) tested; this test report cannot be reproduced, stored in a file, without prior written permission of the Company. The report will be invalid without specific stamp of test institute and the signatures of customer and applicant</p> <p style="text-align: center;"><b>Prepared By:</b>  <b>Wahth Services (Foshan) Co., Ltd</b>            Address: No. 13-19, 3/F, 2nd Building, Sunlink International Machinery City, Chuanxin Town, Shunde District, Foshan, Guangdong China            Tel: +86-757-23811559            Fax: +86-757-23811581</p>
<b>Compiled by</b>	<div style="display: flex; justify-content: space-between; align-items: center;"> <div> <p><i>Dina Zhang</i></p> <p>Dina Zhang   Project Engineer</p> </div> <div style="text-align: center;">  <p>Reviewed by</p> <p><i>Mr Wang</i></p> <p>Mr Wang   Lab Manager</p> </div> </div>

 	<p>Ref. Card No. _____</p> <p>EN 3-92287</p>
<p><b>IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IEEE-IEC SCHEME)</b></p>	<p><b>SYSTEM OF ACCEPTANCE MUTUELLE DES CERTIFICATS D'ESSAIS DE L'ÉQUIPEMENTS ÉLECTRIQUES (IEEE-IEC MÉTHODE SC)</b></p>
<p><b>EN TEST CERTIFICATE</b> <b>CERTIFICATE D'ESSAI SC</b></p>	
<p><b>Product</b></p> <p>Name and address of the applicant Nom et adresse du demandeur</p> <p>Name and address of the manufacturer Nom et adresse du fabricant</p> <p>Name and address of the factory Nom et adresse de l'usine</p> <p>Address of the authorised representative Adresse du représentant autorisé (pour les entreprises étrangères)</p> <p>Design and technical characteristics Désignation technique et caractéristiques techniques</p> <p>Code mark of type Abréviation du marquage de type</p> <p>Serial type test Ref. du type</p> <p>Additional information of measures may also be mentioned in part 2 Les informations complémentaires (les renseignements supplémentaires) sont indiqués en 2<sup>ème</sup> partie</p>	<p><b>Manufacturer's certificate</b></p> <p>British India Indusnet Technology, Ltd., 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793,</p>

## VERIFICATION OF CONFORMITY

Reference No.: WTS15F0238445

Applicant	Bushou Walts Intelligent Technology Co., Ltd.
Address	3rd floor, Building No.3, No.61 Shijing Road, Xukou Town, Wusheng District of Suzhou, P. R. China
Manufacturer	The same as above.
Product	The same as above.
Product	Electric height adjustable desk frame
Model No.	A6
Technical data	220-240V~, 50Hz, 240W, Class II, IP30

Test Standards:

EN 60335-1:2013+A1:2014  
EN 62235:2008

The above product has been tested by us with the listed standards and found in compliance with the European Directive UCE 2006/95/EC. It is possible to use CE marking to demonstrate the compliance with the UCE Directive.

Household and similar electrical appliances - Safety  
Part 1. General requirements  
Measurement methods for electromagnetic fields of household appliances and similar apparatus with regard to human exposure

The related test reports show that the product complies with standards intended as giving presumption of compliance with the essential requirements in the above listed EU Directives/ Other relevant Directives have to be obtained.

After preparation of the necessary technical documentation as well as the verification of conformity, the CE marking as shown below can be affixed on the equipment.



The statement is based on a single evaluation of the sample of above mentioned products. It does not imply an assessment of the whole production.

[illegible]

  
TUV Rheinland  
Certification

**TÜV Rheinland**  
**LGA Products GmbH**  
Tilustraße 2, 90431 Nürnberg

**Attachment to**  
**Registration No.:** AE 9032952 0001  
**Report No.:** 15086542 001

**Manufacturer:** Suzhou Houdy Mechanical and  
Electrical Technology Co., Ltd  
Xakou Town, Wuxiang District,  
Suzhou City, Jiangsu Province, China

**Scope:** additional type designation:  
Control system : JCR1800-126  
Linear Actuator : 200T-02-02-03/78  
2000-02-02-03/78  
20400R-01-02-03/78  
20400R-01-02-03/78  
20400T-01-02-03/78  
024-1  
024-5  
02/78 400/780, 500/780, 625/780

**Cologne, 18.03.2019**

  
Rima Lu

[illegible]

## Nossos serviços

1. garantia: garantia de 10 anos no frame. 5 anos de garantia em motores.
2. OEM, serviço do ODM para o frame de tabela e parte superior.
3. as amostras serão enviadas a você dentro de 2 dias.
4. qualquer inquérito será respondido em 12 horas.

## Empacotamento & transporte





### Perguntas Frequentes

Q1: a citação inclui a área de trabalho.

A1: não, não faz. Se você precisa, nós podemos adicionar o custo na citação para você.

Q2: que cor você oferece agora?

A2: branco, cinzento ou preto, ou cores personalizadas como por o pedido.

Q3: se precisamos de um projeto especial, você pode produzi-lo para nós?

A3: Sim, nós temos uma oficina do molde, assim que será fácil para nós faça o alfaiate para fazer os produtos para você.