

請參閱以下說明書： [https://www.hdr.com.tw/](#)，請參閱 HDR 產品說明書及  
安裝說明書

## 說明

請參閱以下說明書，請參閱 HDR 產品說明書及安裝說明書

1.conceived

請參閱以下說明書 2.Perfect

3.Make 請參閱以下說明書 請參閱 HDR 產品說明書及安裝說明書

請參閱以下說明書，請參閱 HDR 產品說明書及安裝說明書 請參閱 HDR 產品說明書及安裝說明書

4.in 請參閱以下說明書 請參閱 HDR 產品說明書及安裝說明書

## 規格

輸入電壓	AC90-240V 請參閱以下說明書
輸出電壓	DC24V
最大負載	120kg / 265IBS
最大高度 (mm / 吋)	30
最大負載	10% 請參閱以下說明書 2 請參閱以下說明書
最大高度 (mm)	620-1270mm
最大高度 (mm)	1100-1600mm 請參閱以下說明書
最大高度 (mm)	請參閱以下說明書 ROHS SAA
重量 / 最大負載重量 / 最大負載重量	43kg / 41kg
最大高度 (mm)	1080 * 270 * 330mm / 請參閱以下說明書

請參閱以下說明書，請參閱 HDR 產品說明書及安裝說明書

請參閱以下說明書：[HDR-6](#)




調整可能な高さのデスク

- 1. 調整可能な高さのデスク 最大重量 41kg のデスク
- 2. Easy 操作 / 簡単操作で高さ調整可能
- 3. Motor 駆動で高さ調整可能

screen 4.


5. More



Avoid The Harmful Long-Term

Effects Of Too Much Sitting

Height adjustable desk




Standing desk ergonomics - Filed under: Productivity

A6 series parameter instructions

Electric Control Part:  
Input Voltage: AC 110V/220V can use  
Output Voltage: DC 24V  
Daily Cycle: 10000 times  
Switch power supply low energy consumption  
Manual electric use remote and long press

Desk frame part:  
Built in limit switch  
Diameter: 40mm  
The maximum static load: 140KG  
Load speed: 30mm/s  
Lift range: 620mm-1270mm  
The length of the adjustable range: 1100mm-1500mm

Other part:  
Packing Size: 1880\*70\*125mm 15set  
Gross Weight: 41KG



A6 Series Perfect the details of the design  
Limit switch in the columns and different controller  
Ergonomic control design for details  
More convenient to use open outlet  
Capacitive Touch screen memory handset, Apple LCD



A6 Series Dual-motor Three-section

2 legs / 2 motor  
Single motor motor synchronization control system  
Columns can choose Black/White and other grey  
Limit Switch mode  
Touch screen memory handset  
Adjust range from 620mm-1270mm  
Frame adjust from 1100mm-1500mm  
Load Capacity: 2.2T/2.2T/2.2T  
Full-load Speed: 30mm/s  
Input Voltage: AC 110V-220V can use  
Output Voltage: DC 24V  
Data Cycle: Max.1000  
Run into obstacles will stop

□□□□

□□□□ □□□□□□ □□ □□□□□□



□□□ □□ □□□ □□



□□□□□□ □□□□

□□□□□□ □□ □□□□□□ □□□□: □□□□□□ □□□  
 □□□: 0,086-18761974154 0086-512-66212961  
 □□□□□□□□: [www.houdry.com.cn](http://www.houdry.com.cn)  
 □□□□□□□□: kittysongpei  
 □□□□: sales1@houdry.com.cn

[www.houdry.com.cn](http://www.houdry.com.cn)  
[sales1@houdry.com.cn](mailto:sales1@houdry.com.cn)!