Item number: OEM or ODM
Design: drawing
Accept drawing format: CAD or 3D model is perferred
Material: steel, stainless steel, caronized steel, alloy,aluminium, brass, copper, dtc.
Raw Materials: On flat sheet, plate coil supplying condition;Hot rolled or cold rolled or cold drawn for options.
Material thickness: 0.2mm~6mm
Material standard: We stick to China National (GB) standard to material that our engineering team proposes which to be properly converted from ANSI, ASTM, SAE, EN, DIN, BS, JIS, and etc., to contribute the material cost control.
We can meet your requested standards.
Available processing (Technique):

- Shearing	- Crimping	- Laser cutting	- Bending	- Stamping	- Pressing
- Deep drawing		- Rolling	- Forming	- Fabricating	- Drilling
- Tapping	- Riveting	- Spot welding	- TIG	- Assembling	- shipping

Precision: Average level: ±0.05mm or as drawing requires.

Item number: OEM or ODM
Design: drawing
Accept drawing format: CAD or 3D model is perferred
Material: steel, stainless steel, caronized steel, alloy,aluminium, brass, copper, dtc.
Raw Materials: On flat sheet, plate coil supplying condition;Hot rolled or cold rolled or cold drawn for options.
Material thickness: 0.2mm~6mm
Material standard: We stick to China National (GB) standard to material that our engineering team proposes which to be properly converted from ANSI, ASTM, SAE, EN, DIN, BS, JIS, and etc., to contribute the material cost control.
We can meet your requested standards.
Available processing (Technique):

- Shearing	- Crimping	- Laser cutting	- Bending	- Stamping	- Pressing
- Deep drawing		- Rolling	- Forming	- Fabricating	- Drilling
- Tapping	- Riveting	- Spot welding	- TIG	- Assembling	- shipping

Precision: Average level: ±0.05mm or as drawing requires.

Item number: OEM or ODM
Design: drawing
Accept drawing format: CAD or 3D model is perferred
Material: steel, stainless steel, caronized steel, alloy,aluminium, brass, copper, dtc.
Raw Materials: On flat sheet, plate coil supplying condition;Hot rolled or cold rolled or cold drawn for options.
Material thickness: 0.2mm~6mm
Material standard: We stick to China National (GB) standard to material that our engineering team proposes which to be properly converted from ANSI, ASTM, SAE, EN, DIN, BS, JIS, and etc., to contribute the material cost control.
We can meet your requested standards.
Available processing (Technique):

- Shearing	- Crimping	- Laser cutting	- Bending	- Stamping	- Pressing
- Deep drawing		- Rolling	- Forming	- Fabricating	- Drilling
- Tapping	- Riveting	- Spot welding	- TIG	- Assembling	- shipping

Precision: Average level: ±0.05mm or as drawing requires.

EMZ 3610NT